## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	215	(printer near3 manag\$5).ab.	US- PGPUB; USPAT	OR	ON	2007/11/14 09:37
S2	137	S1 and (@ad @prad)<"20021125"	US- PGPUB; USPAT	OR	ON	2007/11/14 09:29
S3	22711	709/220,221,222,223,224,227,228,229.cds.	US- PGPUB; USPAT	OR	ON	2007/11/13 10:57
S4	21	\$2 and \$3	US- PGPUB; USPAT	OR	ON	2007/11/13 10:57
<b>S</b> 5	125	S1 and (@ad)<"20021125"	US- PGPUB; USPAT	OR	ON	2007/11/13 11:12
S6	16	S4 and (@ad)<"20021125"	US- PGPUB; USPAT	OR	ON	2007/11/13 11:46
S7	153	printer monitor\$3 (period time)	US- PGPUB; USPAT	WITH	ON	2007/11/13 11:46
<b>S</b> 8	107	S7 and (@ad)<"20021125"	US- PGPUB; USPAT	OR	ON	2007/11/13 13:11
S9	18	\$8 and "709".clas.	US- PGPUB; USPAT	OR	ON	2007/11/13 13:10

S10	1487	printer near5 (setting config configuration reference) with (period time duration)	US- PGPUB; USPAT	OR	ON	2007/11/13 13:37
S11	860	\$10 and (@ad)<"20021125"	US- PGPUB; USPAT	OR	ON	2007/11/13 13:26
S12	28104	printer near5 (monitor\$3 manag\$5)	US- PGPUB; USPAT	OR	ON	2007/11/13 13:11
S13	274	S11 and S12	US- PGPUB; USPAT	OR	ON	2007/11/13 13:11
S14	34	\$13 and "709".clas.	US- PGPUB; USPAT	OR	ON	2007/11/13 13:26
S15	159	printer near5 (setting config configuration reference) with (period time duration) with (modification modify\$3 chang\$3)	US- PGPUB; USPAT	OR	ON	2007/11/13 14:30
S16	84	S15 and (@ad)<"20021125"	US- PGPUB; USPAT	OR	ON	2007/11/13 13:38
S17	9	\$16 and "709".clas.	US- PGPUB; USPAT	OR	ON	2007/11/13 13:26
S18	23	printer near5 (setting config configuration reference) with (time\$out time near out)	US- PGPUB; USPAT	OR	ON	2007/11/13 13:38
S19	11	\$18 and (@ad)<"20021125"	US- PGPUB; USPAT	OR	ON	2007/11/13 14:31
S20	0	(wo01/73558.ptpn.).COLS.	US- PGPUB; USPAT	OR	OFF	2007/11/13 13:46

S21	1	wo01/73558.ptpn.	US- PGPUB; USPAT	OR	ON	2007/11/13 13:49
S22	1	("20020161740").FN.	US- PGPUB; USPAT	OR	OFF	2007/11/13 13:49
S23	1	("20020161740").PN.	US- PGPUB; USPAT	OR	OFF	2007/11/13 14:17
S24	1	S15 and S23	US- PGPUB; USPAT	OR	ON	2007/11/13 14:30
S25	24	printer near5 (setting config configuration reference) with (period time duration) same (prevent\$3 lock\$3) same (modification modify\$3 chang\$3)	US- PGPUB; USPAT	OR	ON	2007/11/13 15:24
S26	15	\$25 and (@ad)<"20021125"	US- PGPUB; USPAT	OR	ON	2007/11/13 15:22
S27	1	("5,194,895").PN.	US- PGPUB; USPAT	OR	OFF	2007/11/13 15:19
S28	27	printer near5 (setting config configuration) same (period time duration) same (prevent\$3 lock\$3) same (modification modify\$3 chang\$3)	US- PGPUB; USPAT	OR	ON	2007/11/13 15:22
S29	15	\$28 and (@ad)<"20021125"	US- PGPUB; USPAT	OR	ON	2007/11/13 15:25
S30	4	\$29 not \$25	US- PGPUB; USPAT	OR	ON	2007/11/13 15:22
S31	2946	printer near5 (setting config configuration reference) same (modification modify\$3 chang\$3)	US- PGPUB; USPAT	OR	ON	2007/11/13 15:25

S32	1703	printer near5 (setting config configuration reference) with (modification modify\$3 chang\$3)	US- PGPUB; USPAT	OR	ON	2007/11/13 15:31
S33	897	\$32 and (@ad)<"20021125"	US- PGPUB; USPAT	OR	ON	2007/11/13 15:48
S34	75	(time\$out time adj out) and S33	US- PGPUB; USPAT	OR	ON	2007/11/13 15:48
S35	85	printer (time user policy)	US- PGPUB; USPAT	SAME	ON	2007/11/13 15:48
S36	46	\$35 and (@ad)<"20021125"	US- PGPUB; USPAT	OR	ON	2007/11/13 15:51
S37	89	printer same user with (monitor\$3 near3 (period time))	US- PGPUB; USPAT	OR	ON	2007/11/13 15:53
S38	47	S37 and (@ad)<"20021125"	US- PGPUB; USPAT	OR	ON	2007/11/13 15:51
S39	3148	printer near5 (configuration setting) same (period time)	US- PGPUB; USPAT	OR	ON	2007/11/13 15:54
S40	1145	printer near5 (configuration setting) with (period time)	US- PGPUB; USPAT	OR	ON	2007/11/13 15:55
S41	16	printer near5 (configuration setting) with (time\$out time adj out)	US- PGPUB; USPAT	OR	ON	2007/11/13 15:56
S42	6	S41 and (@ad @prad)<"20021125"	US- PGPUB; USPAT	OR	ON	2007/11/13 16:01

S43	112377	(setting configuration) near3 (time duration)	US- PGPUB; USPAT	OR	ON	2007/11/13 16:00
S44	733	printer with (setting configuration) near3 (time duration)	US- PGPUB; USPAT	OR	ON	2007/11/13 16:01
S45	502	S44 and (@ad @prad)<"20021125"	US- PGPUB; USPAT	OR	ON	2007/11/13 16:02
S46	1	printer with (setting configuration) near3 (time duration) near4 protect\$3	US- PGPUB; USPAT	OR	ON	2007/11/13 16:02
S47	9	printer with (setting configuration) near3 (time duration) same protect\$3	US- PGPUB; USPAT	OR	ON	2007/11/13 16:06
S48	5	S47 and (@ad @prad)<"20021125"	US- PGPUB; USPAT	OR	ON	2007/11/13 16:06
S49	12	printer same (setting configuration) near3 (time duration period) same protect\$3	US- PGPUB; USPAT	OR	ON	2007/11/13 16:06
S50	7	S49 and (@ad @prad)<"20021125"	US- PGPUB; USPAT	OR	ON	2007/11/13 16:18
S51	2	S50 not S48	US- PGPUB; USPAT	OR	ON	2007/11/13 16:07
S52	22	request near3 (chang\$3 modify\$3 modification) with (reject\$3 deny\$3 declin\$3) same (period time duration) same (setting config configuration)	US- PGPUB; USPAT	OR	ON	2007/11/13 16:38
S53	11	S52 and (@ad @prad)<"20021125"	US- PGPUB; USPAT	OR	ON	2007/11/13 16:33

S54	888	(setting config configuration) near5 effective near5 (period duration time)	US- PGPUB; USPAT	OR	ON	2007/11/13 16:32
S55	309331	printer (setting config configuration) near5 effective near5 (period duration time)	US- PGPUB; USPAT	OR	ON	2007/11/13 16:33
S56	8	printer same (setting config configuration) near5 effective near5 (period duration time)	US- PGPUB; USPAT	OR	ON	2007/11/13 16:33
S57	5	S56 and (@ad @prad)<"20021125"	US- PGPUB; USPAT	OR	ON	2007/11/13 16:38
S58	873	request near6 (chang\$3 modify\$3 modification) with (reject\$3 deny\$3 declin\$3)	US- PGPUB; USPAT	OR	ON	2007/11/13 16:38
S59	3	\$54 and \$58	US- PGPUB; USPAT	OR	ON	2007/11/13 16:38
S60	0	\$59 and (@ad @prad) < "20021125"	US- PGPUB; USPAT	OR	ON	2007/11/13 16:38
S61	51	(user client personal) near5 (config setting configuration) with (modify\$3 modification) near5 (prevent\$3 lock)	US- PGPUB; USPAT	OR	ON	2007/11/14 09:30
S62	10	S61 and ("709" "710").clas.	US- PGPUB; USPAT	OR	ON	2007/11/14 09:29
S63	5	S62 and (@ad @prad)<"20021125"	US- PGPUB; USPAT	OR	ON	2007/11/14 09:35
S64	3965	(device user client personal) with (config setting configuration) with (modify\$3 modification chang\$3) with (prevent lock block stop avoid limit)	US- PGPUB; USPAT	OR	ON	2007/11/14 09:36

<b>S</b> 65	983	S64 and "70"\$.clas.	US- PGPUB; USPAT	OR	ON	2007/11/14 09:34
S66	547	S65 and (@ad @prad)<"20021125"	US- PGPUB; USPAT	OR	ON	2007/11/14 09:35
S67	514	S65 and (@ad)<"20021125"	US- PGPUB; USPAT	OR	ON	2007/11/14 13:10
S68	316097	(config setting configuration) with (time duration period)	US- PGPUB; USPAT	OR	ON	2007/11/14 09:36
S69	288	S67 and S68	US- PGPUB; USPAT	OR	ON	2007/11/14 09:37
S70	6867	(printer near6 manag\$5)	US- PGPUB; USPAT	OR	ON	2007/11/14 09:37
S71	0	S69 and S70	US- PGPUB; USPAT	OR	ON	2007/11/14 09:37
S72	83	S69 and printer	US- PGPUB; USPAT	OR	ON	2007/11/14 09:41
S73	9714	printer same (policy config setting configuration) same (time duration period)	US- PGPUB; USPAT	OR	ON	2007/11/14 09:42
S74	3164	(user personal) same printer same (policy config setting configuration) same (time duration period)	US- PGPUB; USPAT	OR	ON	2007/11/14 09:42
S75	1583	S74 and (@ad)<"20021125"	US- PGPUB; USPAT	OR	ON	2007/11/14 10:00

S76	191	S75 and "709".clas.	US- PGPUB; USPAT	OR	ON	2007/11/14 10:00
S77	46	printer.ab. and S76	US- PGPUB; USPAT	OR	ON	2007/11/14 10:20
S78	1	("20030084086").PN.	US- PGPUB; USPAT	OR	OFF	2007/11/14 11:59
S79	9	banner with print near5 option	US- PGPUB; USPAT	OR	ON	2007/11/14 13:10
S80	8	S79 and (@ad)<"20021125"	US- PGPUB; USPAT	OR	ON	2007/11/14 15:56
S81	174	default same tray same sheet	US- PGPUB; USPAT	OR	ON	2007/11/14 13:11
S82	1	S80 and S81	US- PGPUB; USPAT	OR	ON	2007/11/14 15:55
S83	78	customized status message	US- PGPUB; USPAT	WITH	ON	2007/11/14 16:05
S84	38	S83 and (@ad)<"20021125"	US- PGPUB; USPAT	OR	ON	2007/11/14 16:06
<b>S</b> 85	503	(customized message) and instant adj messag\$3	US- PGPUB; USPAT	WITH	ON	2007/11/14 16:05
S86	281	(customized near4 message) and instant adj messag\$3	US- PGPUB; USPAT	WITH	ON	2007/11/14 16:09

S87	89	S86 and (@ad)<"20021125"	US- PGPUB; USPAT	OR	ON	2007/11/14 16:09
S88	1	busy same (customiz\$3) and \$87	US- PGPUB; USPAT	OR	ON	2007/11/14 16:08
S89	116	(customized near4 text near3 message)	US- PGPUB; USPAT	WITH	ON	2007/11/14 16:13
S90	46	S89 and (@ad)<"20021125"	US- PGPUB; USPAT	OR	ON	2007/11/14 16:13
S91	24	S90 and monitor\$3	US- PGPUB; USPAT	OR	ON	2007/11/14 16:09
S92	5	(customized near4 text near3 message with reply\$3)	US- PGPUB; USPAT	WITH	ON	2007/11/14 16:14
S93	1	S92 and (@ad)<"20021125"	US- PGPUB; USPAT	OR	ON	2007/11/14 16:14
S94	3	(customized near5 (text message) with default)	US- PGPUB; USPAT	WITH	ON	2007/11/14 16:15
S95	2	S94 and (@ad)<"20021125"	US- PGPUB; USPAT	OR	ON	2007/11/14 16:15
S96	71	(customized near5 (text message) with default)	US- PGPUB; USPAT	OR	ON	2007/11/14 16:15
S97	35	S96 and (@ad)<"20021125"	US- PGPUB; USPAT	OR	ON	2007/11/14 16:15

S98	16	device near6 (configu\$6 setting attribute) near7 (block \$3 protect\$3) near6 modif\$7 near6 (duration time period interval)	US- PGPUB; USPAT	OR	ON	2008/07/28 10:07
S99	4	\$98 and (@ad @prad)<"20021125"	US- PGPUB; USPAT	OR	ON	2008/07/28 10:07
S100	798	device near6 (configu\$6 setting attribute) near7 (block \$3 protect\$3) with (duration time period interval)	US- PGPUB; USPAT	OR	ON	2008/07/28 10:08
S101	413	S100 and (@ad @prad)<"20021125"	US- PGPUB; USPAT	OR	ON	2008/07/28 10:08
S102	51	printer and S101	US- PGPUB; USPAT	OR	ON	2008/07/28 10:08
S103	340	S100 and (@ad)<"20021125"	US- PGPUB; USPAT	OR	ON	2008/07/28 10:08
S104	44	printer and S103	US- PGPUB; USPAT	OR	ON	2008/07/28 10:08
S105	4756	printer same (setting config\$8) near5 (lock\$3 block\$3 protect\$3)	US- PGPUB; USPAT	OR	ON	2008/07/28 13:20
S106	2091	\$105 and (@ad)<"20021125"	US- PGPUB; USPAT	OR	ON	2008/07/28 13:20
S107	274	printer same (setting config\$8) near5 (lock\$3 block\$3 protect\$3) same (time duration period)	US- PGPUB; USPAT	OR	ON	2008/07/28 13:21
S108	301	printer same (setting config\$8 option preference) near5 (lock\$3 block\$3 protect\$3) same (time duration period)	US- PGPUB; USPAT	OR	ON	2008/07/28 13:22

S109	178	S108 and (@ad)<"20021125"	US- PGPUB; USPAT	OR	ON	2008/07/28 13:22
S110	413	printer same (setting config\$8) near5 (lock\$3 protect\$3)	US- PGPUB; USPAT	OR	ON	2008/07/28 13:23
S111	62	printer same (setting config\$8 option preference) near5 (lock\$3 protect\$3) same (time duration period)	US- PGPUB; USPAT	OR	ON	2008/07/28 13:23
S112	854	(setting configur\$5) near4 request and (print\$3 near6 process\$3) near5 request	US- PGPUB; USPAT	OR	ON	2008/07/28 14:52
S113	337	S112 and (@ad)<"20021125"	US- PGPUB; USPAT	OR	ON	2008/07/28 14:52
S114	4946	S110 abd S113	US- PGPUB; USPAT	OR	ON	2008/07/28 14:53
S115	413	printer same (setting config\$8) near5 (lock\$3 protect\$3)	US- PGPUB; USPAT	OR	ON	2008/07/28 14:54
S116	854	(setting configur\$5) near4 request and (print\$3 near6 process\$3) near5 request	US- PGPUB; USPAT	OR	ON	2008/07/28 14:54
S117	337	S116 and (@ad)<"20021125"	US- PGPUB; USPAT	OR	ON	2008/07/28 14:54
S118	3	S115 and S117	US- PGPUB; USPAT	OR	ON	2008/07/28 14:54
S119	163	printer same (setting configurat\$3 option control\$4) near7 (block\$3 lock\$3 protect\$3) with (modify\$3 chang \$3)	US- PGPUB; USPAT	OR	ON	2008/07/28 15:35

S120	101	\$119 and (@ad)<"20021125"	US- PGPUB; USPAT	OR	ON	2008/07/28 15:35
S121	144	printer same (setting configurat\$3 option control\$4) near7 (prevent\$3 lock\$3 protect\$3) with (modify\$3 chang\$3)	US- PGPUB; USPAT	OR	ON	2008/07/28 15:37
S122	78	\$121 and (@ad)<"20021125"	US- PGPUB; USPAT	OR	ON	2008/07/28 15:37
S123	31	printer same (setting configurat\$3 option control\$4) near7 (prevent\$3 lock\$3 protect\$3) with (modify\$3 chang\$3) same (time period date)	US- PGPUB; USPAT	OR	ON	2008/07/28 15:38
S124	15	\$123 and (@ad)<"20021125"	US- PGPUB; USPAT	OR	ON	2008/07/28 15:38
S125	0	("200300300664").PN.	US- PGPUB; USPAT	OR	OFF	2008/07/29 11:27
S126	1	("20030030664").PN.	US- PGPUB; USPAT	OR	OFF	2008/07/29 11:27
S127	48559	(device printer) near9 (setting config configuration reference) with (period time duration how near3 long how near3 many cop\$3)	US- PGPUB; USPAT	OR	ON	2008/07/29 11:36
S128	580	\$127 and 709/223-224.ccls.	US- PGPUB; USPAT	OR	ON	2008/07/29 11:36
S129	287	\$128 and (@ad)<"20021125"	US- PGPUB; USPAT	OR	ON	2008/07/29 11:36
S130	109	printer and S129	US- PGPUB; USPAT	OR	ON	2008/07/29 11:37

S131	3553	(printer) near9 (setting config configuration reference) with (period time duration how near3 long how near3 many cop\$3)	US- PGPUB; USPAT	OR	ON	2008/07/29 14:18
S132	1909	\$131 and (@ad)<"20021125"	US- PGPUB; USPAT	OR	ON	2008/07/29 14:19
S133	32	\$132 and 709/223-224.cdls.	US- PGPUB; USPAT	OR	ON	2008/07/29 14:19
S134	5618	(reject\$3 denied deny\$3 prevent\$3 lock\$3) with (modify \$3 chang\$3) with (setting configur\$5 preference control) with (period time )	US- PGPUB; USPAT	OR	ON	2008/07/29 14:52
S135	5720	(reject\$3 denied deny\$3 prevent\$3 lock\$3) with (modify \$3 chang\$3) with (setting configur\$5 preference control) with (period time duration)	US- PGPUB; USPAT	OR	ON	2008/07/29 14:52
S136	3711	S135 and (@ad)<"20021125"	US- PGPUB; USPAT	OR	ON	2008/07/29 14:52
S137	290	printer and S136	US- PGPUB; USPAT	OR	ON	2008/07/29 14:53
S138	2428	(reject\$3 denied deny\$3 prevent\$3 lock\$3) with (modify \$3 chang\$3) near5 (setting configur\$5 preference control) with (period time duration)	US- PGPUB; USPAT	OR	ON	2008/07/29 14:53
S139	1551	\$138 and (@ad)<"20021125"	US- PGPUB; USPAT	OR	ON	2008/07/29 14:53
S140	123	printer and S139	US- PGPUB; USPAT	OR	ON	2008/07/29 14:53
S141	17	S140 and "709".clas.	US- PGPUB; USPAT	OR	ON	2008/07/29 14:54

S142	17	S141 and (@ad)<"20021125"	US- PGPUB; USPAT	OR	ON	2008/07/29 14:59
S143	1	("5553245").PN.	US- PGPUB; USPAT	OR	OFF	2008/07/29 15:16
S144	1	("5355441").PN.	US- PGPUB; USPAT	OR	OFF	2008/07/29 15:19

7/30/2008 9:49:36 AM

 $\label{locuments} \hbox{C:$\backslash$ Documents and Settings$\ hhoang$\ My\ Documents$\ EAST$\ Workspaces$\ hieu\_93\_10720375.wsp.}$